FS10 FS12

Tester



FS Tester for testing activation of Aerosol Generators

JKE-Solutions
Røjklitvej 28 | DK-6950 Ringkøbing
info@jke-solutions.dk
+45 77 34 77 12

Product Overview

The FS Tester simulates the Aerosol Generator, making it easy to test the complete both the FS10 and the FS12 system before mounting the real Live Aerosol Generators.

The FS Test Device will show on the front when the system is testing the FS10 or the FS12 system and will also show when the simulated Aerosol Generator is released.

For more information see our FS tester manual



JKE-Solutions
Røjklitvej 28 | DK-6950 Ringkøbing
info@jke-solutions.dk
+45 77 34 77 12

Key Features

- Test device for test of simulated Aerosol Generators and release of same
- Useable for both the FS10- and Fs12 system.

Technical Specifications

Parameter	Value
FS Tester	
FS12 Tester - Dimensions (WxHxD) excluding cable	(62 x 95x 28) mm
FS Tester – Weight	0,170 kg
Electrical	
Power supply	3 x AA 1,5V alkaline
Supply voltage range	-
Nominal current	-
Total system current during activation	-
Operating temperature	-25°C to +70°C
IP Rating	IP20

Ordering Information

FS Tester - JKE Part No.: 0209

JKE-Solutions
Røjklitvej 28 | DK-6950 Ringkøbing
info@jke-solutions.dk
+45 77 34 77 12